

OPENINGS

Amar





- 3 WHY BUY AMARR GARAGE DOORS
- 4 AMARR CARRIAGE COURT
- 6 AMARR CARRIAGE COURT OPTIONS
- 8 AMARR CLASSICA®
- 10 AMARR CLASSICA® & HARDWARE OPTIONS

WOOD

- 12 AMARR OAK SUMMIT®
- 14 AMARR HILLCREST
- 16 AMARR DESIGNER'S CHOICE
- 18) AMARR HERITAGE[™]
- 20 AMARR STRATFORD®
- 22 AMARR LINCOLN
- 24 AMARR OLYMPUS
- 26 STEEL OPTIONS
- 28 STEEL CONSTRUCTION
- 30) STEEL SPECIFICATIONS
- 32 AMARR BY DESIGN
- 34 AMARR VISTA
- 36 AMARR VISTA OPTIONS
- 38 AMARR COASTAL
- 40 WOOD & SPECIALTY SPECIFICATIONS.



Openings. Open up to a new way of thinking. The garage. It's more than a way in, or a way out. Inside it's a parking lot, a gym, a workshop. Outside, it's an extension of your home, a reflection of your personality, of your individuality. Whether you prefer steel, wood, aluminum or vinyl, rethink what a garage door is, or can be. Amarr Openings. Open up to the possibilities.



WHY BUY AMARR GARAGE DOORS

Style and Variety

We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of insulations and door thicknesses to provide the level of energy efficiency you desire.



Safety



Our SafeGuard System features patented center and end hinges, exclusive safety bottom brackets and uniquely-designed pinch protection sections to enhance overall safety

for homeowners. These garage doors are designed to reduce the risk of serious hand and finger injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.



Made in USA



All Amarr residential and commercial steel and aluminum garage doors are manufactured in

the USA, affirming our commitment to high quality and durability.



AMARR CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

BRADBERRY (BB)

NEWBERRY (NB)

DESIGNS

AVAILABLE WITH WINDOWS

PINETOP (PT)

SEAF





NOT AVAILABLE WITH WINDOWS







ARCADIA (AR)*



I			ш			
			П			
	H	H	H	-		
I	11		н	Ĩ.	11	1

BROOK (SB)	ROSEMOUNT (RM

ASHLEY (AL) CHARLTON (CT)

				I
(GB)	DARBY ([ЭB)	
				ľ

RAVENWOOD (RW)* BROOKLAND (BL)*

















11

CC4000 Four-Layer: Overlay + Steel + Insulation + Steel



Designs A wide variety of unique carriage house designs available in four color options.

See page 30 for complete specifications.

Decorative Options Choose from a variety of

11

optional decorative windows & hardware to match your home's design.

See p. 6 for all window options. See p.11 for all decorative hardware options.

5

WARRANTY

- · Lifetime limited warranty on finish
- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

AMARR CARRIAGE COURT OPTIONS

OVERLAY TRIM



*Rosemont not available in 8'3", 8'9', 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.

3 LITE SQUARE (106) 3 LITE ARCH (110) 4 LITE SQUARE (107) 4 LITE ARCH (111)



TOP SECTIONS

CLOSED SQUARE (104)

CLEAR SQUARE (115)

A LITE SOLIARE (112)

8 LITE SQUARE (113)

6 LITE ARCH (108)

8 LITE ARCH (109)



Available for ARCADIA*, ASHLEY, BROOKLAND*, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA*, MIDDLETON, NEWBERRY, RAVENWOOD* AND TANGLEWOOD

CLOSED SQUARE (104)



COLORS

TRUE WHITE / WHITE (W1) ALMOND / WHITE (A1)





Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware



STEEL



AMARR CLASSICA°

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



DESIGNS



VALENCIA (V)

Long Panel Arched Top not available.



CL1000

Single-Layer:

CL2000

Double-Layer:

CL3000

Triple-Layer:

Steel + Insulation + Steel

Steel

Designs

Unique three-section Steel + Insulation

seven stamped-steel panel designs. See page 30 for

Amar

tall carriage house style doors available in

complete specifications.

Tuscany with Closed Arch (T1)





Decorative

Windows & Hardware Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.

See pp.10-11 for all window and decorative hardware options.

STEEL

AMARR CLASSICA & HARDWARE OPTIONS

AMARR CLASSICA® TOP SECTIONS



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • CORTONA (C2)



MADEIRA (5)*



RHINE (7)*



THAMES (10)*



OBSCURE (0)



JARDIN (75)+



TRELLIS (76)1 6

* Design also available with Obscure glass. [†] Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting.



AMARR CLASSICA® COLORS

Actual paint colors may vary from samples shown.

Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used.



TWO-TONE PAINT OPTIONS

*Price upcharge applies.



DECORATIVE HARDWARE & LOCK

ALUMINUM

Available for Amarr Carriage Court, Classica, Oak Summit, Hillcrest, Designer's Choice, and Coastal collections.



18" STRAP HINGES WITH CLAVOS[†]







For all collections.

[†]Hinges with Clavos not recommended for arched openings.

10-1/2" HANDI ES‡







11" HANDLES

3-1/2" RING HANDLES

CANTERBURY

16" STRAP HINGES

[†]Hinges with Clavos not recommended for arched openings. [‡]Not for use with high lift installations.

STAMPED STEEL

Available for Amarr Carriage Court, Classica, Oak Summit, Hillcrest, Designer's Choice, and Coastal collections.

11" HANDLES



MAGNETIC ABS VINYL

Available for Amarr Carriage Court**, Classica, Oak Summit, Hillcrest, Designer's Choice and Coastal** collections. 12" HANDLES 16" STRAP HINGES 11" HANDLES 18" STRAP HINGES



SEINE (8)*









DANUBE (4)*

CLOSED SQUARE • NORTHAMPTON [N2]

CLOSED SQUARE • BORDEAUX (B2)







CLEAR (C)



AMERICANA (57)+





AMARR OAK SUMMIT[®]

Self-expression shouldn't cost a fortune. With the Amarr Oak Summit collection, it won't. These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your look with our most affordable carriage house door.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



DESIGNS





*Color only available in Amarr Oak Summit OS3000. [†]Price upcharge applies.





with Heartland DecraGlass (RE70)



Windows & Hardware Give your door a unique

carriage house look with a variety of decorative window and hardware options.

decorative hardware options, pp.26-27 for windows.

GREEN



AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price. The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges



DESIGNS





(15)



AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Thames DecraTrim in Sandtone with Alpine handles



DESIGNS

BEAD BOARD (BB)	LONG BEAD BOARD (LPBB)	RECESSED (RE)	RAISED (RS)

Bead Board with Cascade DecraTrim (BB23)		Long Bead Board with Stockton DecraTrim (LPBB20)
Bead Board with Victorian DecraGlass (BB54)	non onan Initia None Pister	Recessed with Moonlite DecraTrim (RE24)
DC3200 Triple-Layer: Steel + Insulation + Steel R-VALUE 19.40*	Designs The Amarr Designer's Choice model is available in four carriage house designs and six colors. See page 30 for complete specifications.	Decorative Windows & Hardware Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home. See page 11 for all decorative hardware options, pp.26–27 for windows.
COLORS		.35 R-value for all other panels and colors. steel doors are pre-painted; for custom
		exterior latex paint must be used.







[†]Price upcharge applies. Walnut and Mahogany Available Fall 2016.

(17)

WICKER TAN





AMARR HERITAGE"

Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles. Great looks for years to come.

Short Panel design with Prairie DecraTrim in True White



DESIGNS





*Available in Amarr Heritage HR3000 only.



Steel + Insulation

Short, Long, Flush, and Ribbed panel designs and seven color options. See page 30 for complete specifications.

window inserts to coordinate with your home. See pp. 26-27 for all window options.

Actual paint colors may vary from samples show COLORS

SANDTONE

HR2000

Double-Layer:

HR3000

Steel + Insulation + Steel

AL MOND

Triple-Layer:

TRUE WHITE



[†]Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.

STEEL

Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



AMARR STRATFORD°

Time-honored style. The Amarr Stratford collection offers 4 traditional designs, 11 color choices, and 21 decorative window options. This durable low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries. The Amarr Stratford. A statement of style.

Long Panel design with Trellis DecraGlass in Sandtone



DESIGNS







Stratford ST3000 only.



[†]Color only available in Amarr Stratford ST3000.

[‡]Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.

0AK‡



Short Panel with Prairie DecraTrim (SP21)

AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with 21 decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.

Short Panel design in Wicker Tan



DESIGNS





[†]Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.

Flush Panel (FP)



AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design with Waterford DecraTrim in Almond



DESIGNS





Triple-Layer: Steel + Insulation + Steel



is available in Short Panel and Long Panel designs and six color options. See page 30 for complete specifications.

or DecraGlass windows to best coordinate with your home.

> See pp.26-27 for all window options.

* For True White Short Panel only. 13.35 R-value for all other panels and colors.

COLORS

TRUE WHITE



DARK BROWN



[†]Price upcharge applies.

WICKER TAN

SANDTONE

Walnut and Mahogany Available Fall 2016.

ΔΙ ΜΟΝΠ



STEEL OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

Tempered obscure glass with baked-on ceramic designs.



STEEL

WALNUT‡

[‡]Price upcharge applies

MAHOGANY[‡]

27

0×0×0

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double, 3000 triple or 4000 four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

1000

Single-Layer: Steel

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance



Vinyl-Coated Polystyrene Insulation

-VALUE

Bottom Weather Seal

Steel Exterio



Double-Layer: Steel + Insulation

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene
- Thermal Insulation with Vinyl Backing

 Energy Efficient
- Quiet Operation

3000

Triple-Layer: Steel + Insulation + Steel Amarr Classica, Oak Summit, Hillcrest, Designer's Choice, Heritage, Stratford Lincoln, & Olympus

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation





* For True White Bead Board only.

** For all panels and colors except True White Bead Board





[†] For True White Short Panel only. ‡ For all panels and colors except True White Short Panel

Steel

4000

Four-Layer: Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe
 Polystyrene Thermal Insulation
- Energy Efficient
- Extra Quite Operation







STEEL SPECIFICATIONS

Amarr.			C	ARR	IAGE	ΗΟU	ISE D	ESIC	θN					ΤF	RADI	ΤΙΟΝ	AL D	ESIG	Ν		
	AMARR CARRIAGE	AMARR	AMARR	AMARR	AMARR 0AK	AMARR 0AK	AMARR 0AK	AMARR	AMARR	AMARR	AMARR DESIGNER'S	AMARR	AMARR	AMARR	AMARR	AMARR	AMARR	AMARR	AMARR	AMARR	AMARR
entrematic	COURT CC4000	CLASSICA CL1000	CLASSICA CL2000	CLASSICA CL3000	SUMMIT 0S1000	SUMMIT 0S2000	SUMMIT 0S3000	HILLCREST HI1000	HILLCREST HI2000	HILLCREST HI3000	CHOICE DC3200	HERITAGE HR1000	HERITAGE HR2000	HERITAGE HR3000	STRATFORD ST1000	STRATFORD ST2000	STRATFORD ST3000	LINCOLN LI1000	LINCOLN LI2000	LINCOLN LI3000	OLYMPUS OL3200
PANEL DESIGNS (Safe Guard)		1	1	1	1	1	1					1	1	1	1	1	1				
Short												•	•	•	•	•	•	•	•	•	•
Long												•	•	•	•	•	•	•	•	•	•
Flush														•			•			•	
Ribbed														•			•			•	
Carriage House	18 Designs	7 Designs	7 Designs	7 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs										
CONSTRUCTION LAYERS	4	1	2	3	1	2	3	1	2	3	3	1	2	3	1	2	3	1	2	3	3
Steel		•			•			•				•			•			•			
Steel + Insulation			•			•			•				•			•			•		
Steel + Insulation + Steel				•			•			•	•			•			•			•	•
Overlay + Steel + Insulation + Steel	•																				
DOOR THICKNESS	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)
INSULATION	Polystyrene ¹		Polystyrene ¹	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane
R-VALUE ²	6.48		6.64	13.35		6.64	6.48		6.64	9.05	19.40**/13.35**		6.64	9.05		6.64	6.48		6.64	9.05	19.40 ^{s†} /13.35 [‡]
STEEL THICKNESS																					
Gauge (ga)	27/27 ga	24 ga	24 ga	25/27 ga	25 ga	25 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga
Gauge (mm)	0.42/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm
WOODGRAIN EXTERIOR TEXTURE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
END STILES																					
Galvanized		•	•		•	•		•	•						•	•		•	•		
Painted	•			•			•			•	•	•	•	•			•			•	•
THERMAL SEAL	•						•				•*			•			•				•†
BOTTOM WEATHER SEAL																					
Steel Retainer		•	•	•	•	•		•	•		•**	•	•		•	•		•	•		•‡
Aluminum Retainer	•						•							•			•				
Extruded Vinyl										•	÷									•	•†
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•
WINDOW GLASS OPTIONS																					
3/32"(0.24cm) Single Strength					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1/8" (0.32cm) Tempered 2X Strength	•	•	•	•																	
Insulated Glass	•			•			•			•	•			•			•			•	•
Obscure	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DECORATIVE HARDWARE OPTIONS	•	•	•	•	•	•	•	•	•	•	•										
EXTERIOR COLOR OPTIONS																					
True White	•3	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•
Almond	•3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wicker Tan	•3	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•
Sandtone	•3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Terratone		•	•	•	•	•	•	•	•	•					•	•	•	•	•	•	
Dark Brown		•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•
Hunter Green																					
Gray							•														
Black											•										
Golden Oak		•	•		•	•	•	•	•	•		•	•		•		•	•	•		
Walnut								•	•		٠							•		•	•6
Mahogany		•							•		•	•									•
WIND LOAD ⁴ AVAILABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•"
		•	•	•	•	•	•			-	•		-	•	•	•	•		-	-	
Paint Finish ⁵	Lifetime	Lifotimo	Lifotimo	Lifotimo	15 Voom	25 Voom	Lifotimo	15 Voom	25 Vooro	Lifetime	Lifotime	Lifetime	Lifotimo	Lifotimo	15 1000	25 Voom	Lifotimo	15 Voom	25 Voom	Lifotimo	Lifetime
		Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	15 Years	25 Years	Lifetime	
Workmanship/Hardware ⁵	5 Years	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	1 Year	2 Years	3 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	1 Year	2 Years	3 Years	Lifetime



² Calculated door section R-value is in accordance with DASMA TDS-163. ¹ Insulation on Amarr brand doors has passed self-ignition, A Based on independent laboratory test results.

flamespread, and smoke

developed index fire testing.

* True White Bead Board only. ** All panels and colors except True White Bead Board

† True White Short Panel only.

‡ All panels and colors except True White Short Panel

³ With White Overlay. ⁴ It is your responsibility to make sure your garage door meets local building codes.

⁵ For complete warranty details, ⁶ Available Fall 2016. visit amarr.com or contact your local Amarr dealer.

NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.







DESIGNS

ROBERTS

PRESTON

3000 (custom)

7020 (เ)

SUTCLIFFE

LOWRY

TTT-

3000 (closed arch)

7010 (i)

Designs

AMARR BY DESIGN AD4000

Get the neighbors talking. Start with the exquisite Amarr by Design collection. Submit your own unique design and let our craftsmen build it. Or choose from one of our many custom wood carriage house styles and an array of materials, windows, and custom hardware to create a truly unique, one-of-a-kind door. Amarr By Design. Get a gorgeous door, and a great conversation piece.

CONSTRUCTION



WOOD CHOICES

WOOD

- Wood + Insulation + Wood
- Custom, Handcrafted Carriage House Designs
- Multiple Wood Options •
- Paint or Stain Grade Wood
- Environmentally Safe Polystyrene Thermal Insulation
- Energy Efficient

Other types of wood Wood choices shown are natural. Homeowner must finish door prior to door installation.





Design your own look or

Materials

Design your own door. Choose from the finest milled woods. Paintable or stainable wood exterior. See page 40 for complete specifications.

Unlimited design options.





TERRY

----- \vdash

CURTIS

RUNION

TTT



Custom designs available. Simply draw your own unique door, give it to your Amarr dealer, and we'll take it from there.



Decorative Options

Design your own finishing touches with decorative hardware. Popular choices include door knockers, handles, latches, braces, and strap hinges.

Visit www.amarr.com for all hardware options.

(33





AMARR VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION



ALUMINUM

An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- · Tongue and groove section joints and bottom weather seal provide additional protection against the elements
- · Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for up to 24' wide doors, when required
- Available in 21" and 24" section heights; and 18" for odd height doors
- · Wind load options available to meet local building codes
- Attractive, modern exterior handles (2) included

PANEL CONFIGURATION





18' WIDE — 5 Pa	nels

16' WIDE — 4 Panels

DOOR HEIGHT CONFIGURATION

8' (4 tall)







WARRANTY

- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 5-year limited warranty on finish

Exterior Handles

AMARR VISTA OPTIONS



Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles. Glass is tempered and available as single pane or insulated. OBSCURE THERMAPRO LOW-E 11

GLASS

CLEAR

TRANSPARENT







[‡]Laminated, not tempered. Insulated glass not available.

OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM PERFORATED ALUMINUM



on ½" centers Also available in Mill finish. LOUVERED ALUMINUM

_			

6 columns of (12) 3"x 3/4" vents on a 4'x 24" panel Shown in White Powder Coat

16' x 7' Amarr Vista with Medium Bronze frame with Whiteout glass



37



AMARR COASTAL CO3000

Timeless beauty in its element. No matter where you live, the Amarr Coastal CO3000, made with resilient vinyl, seals out the elements and resists dents and rust. No warping, rotting, splitting or cracking. Classic carriage house and traditional designs deliver years of maintenance-free performance. It's a beautiful thing.

CONSTRUCTION



Actual color may vary from sample shown.

COLORS

STANDARD



LIV RESISTANT WHITE

VINYL

Vinyl + Insulation + ABS

- · Solid Vinyl Face for Rust- and Dent-Resistance
- Solid Vinyl Edges to Seal Out Weather
- Machine-Carved V-Grooves for Precise Design Detail
- Environmentally Safe Polystyrene Insulation with laminated ABS thermoplastic backing
- Energy Efficient R-value of 8.16

WARRANTY

- 1-year limited warranty on materials and workmanship
- 3-year limited warranty on hardware
- Lifetime limited warranty on finish

DESIGNS

CATALINA



CARRIAGE HOUSE Available with windows

HATTERAS

NEWPORT

Not available with windows

N	101	TE	REY	ſ				
	ш	ш	ш	11	ш	ш	_	









TOP SECTIONS

TRADITIONAL Available for HAMPTON, GULFPORT



CARRIAGE HOUSE



See page 41 for complete specifications.

* For carriage house doors greater than 10' wide, double arch is standard. Price upcharge applies for a single arch on doors greater than 10' wide.



WOOD SPECIFICATIONS



	DECION	A D / 0.00	n

	AMARR [®] BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1-3/8" thick)	•
R-VALUE	9.0
BOTTOM WEATHER SEAL	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
OPTIONAL DECORATIVE HARDWARE	•
WIND LOAD ¹ AVAILABLE*	•
FIRE RATED DOORS AVAILABLE ²	•
SECTION WARRANTY ³	1 Year

¹ It is your responsibility to make sure your garage door meets local building codes.

o make ² Optional: Special-designed doors meet guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available.

³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

* Optional: Wood-on-steel section construction is available. Some wind load pressures may require wood-on-steel section construction. tempered glass windows available. Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six (b) sides of each section within two days of receipt of door(s) and prior to installation. Wist amarc.com for finishing recommendations.

HARDWARE SPECIFICATIONS

TRACK: 2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.

HINGES: Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.

ROLLERS: 2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).

STRUTS: 3" galvanized struts

COUNTER BALANCE: 10,000 cycle torsion springs,cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length. FASTENERS: Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).

OPERATION: Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have limitations. Contact your local Amarr dealer for specific details.

SPECIALTY SPECIFICATIONS



ALUMINUM	AMARR VISTA VI1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	21" and 24"; 18" for odd height doors
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
Mill	Perforated panel only
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Opaque	Frost, Snow, Whiteout
Tint	Gray, Bronze, Green
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
WIND LOAD ¹ AVAILABLE	•
FINISH WARRANTY ²	5 Years
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

VINYL	AMARR COASTAL CO3000	
CONSTRUCTION	Vinyl + Insulation + ABS	
DOOR THICKNESS	1-7/16"	
R-VALUE	8.16	
WINDOW OPTIONS	•	
GLASS OPTIONS	1/8" Clear DSB (Standard), Clear Tempered, Insulated Tempered, Obscure, Insulated Obscure, Insulated	
WIND LOAD ¹ AVAILABLE	•	
WIDTHS AVAILABLE ³	8', 9', 10', 16', 18'	
HEIGHTS AVAILABLE ³	6'6", 7', 7'6", 8'	
SECTION WARRANTY ²	1 Year	
FINISH WARRANTY ²	Lifetime	
HARDWARE WARRANTY ²	3 Years	

¹ It is your responsibility to make sure your garage door meets local building codes. ² For complete warranty details contact your heilocal Amarr dealer. Up

³ Custom widths and ⁴ For complete color availability heights available. visit amarr.com Upcharge applies.

Amarr by Design Lowry design painted by homeowner





SPECIFICATIONS



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com



RECYCLED STEEL

Entrematic, Amarr, Classica, Stratford and Oak Summit as words and logos are registered trademarks owned by Entrematic Group AB or companies within the Entrematic Group.

Technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2016. All rights reserved. Printed in USA Form #6010916/25M/GVS

Visit amarr.com for additional products distributed by Entrematic, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.



